

Proceedings of the
INTERNATIONAL CONFERENCE
ON
RECENT TRENDS IN MULTI-DISCIPLINARY
RESEARCH AND INNOVATION
ICRTMRI'24

13th September 2024

in Association with



Organized by



A.V.P.
COLLEGE OF ARTS AND SCIENCE

Affiliated to Bharathiar University, Coimbatore
Accredited with 'A' Grade by NAAC (Cycle I)
Recognized under Section 2(f) of the UGC Act 1956
An ISO 9001:2015 Certified Institution, T.M. Poondi, Tirupur.

Proceedings of the
INTERNATIONAL CONFERENCE
ON
RECENT TRENDS IN MULTI-DISCIPLINARY RESEARCH AND
INNOVATION

ICRTMRI'24

13th September 2024

In Association with



Organized by



AVP
COLLEGE OF ARTS AND SCIENCE

Affiliated to Bharathiar University, Coimbatore
Accredited with 'A' Grade by NAAC (Cycle I)
Recognized under Section 2(f) of the UGC Act 1956
An ISO 9001:2015 Certified Institution, T.M. Poondi, Tirupur.

This is the proceeding of the First International Conference on Recent Trends in Multidisciplinary Research and Innovation (ICRTMRI -2024) organized by A.V.P. College of Arts and Science, Tirupur, Tamilnadu, India held on 13th September 2024.

Editors

Dr. S. Ashok Kumar

Dr. A. Mallika

Dr. S. Sindhubairavi

Ms. R.S. Cindhu

Ms. G. Pramela

Dr. R. Marisakthi



A.V.P. COLLEGE OF ARTS AND SCIENCE

(Affiliated to Bharathiar University, Coimbatore)

4-Chettipalayam, Thirumurugan Poondi Post

Tirupur, Tamilnadu, India

www.avpcas.org

Instruction to Authors:

For an article to be considered for publication it is a precondition that it is not submitted for publication elsewhere in the section of Literature, Computing Sciences, Commerce, Management, Bioscience and Textiles. The contents of the papers are the sole responsibility of the authors and publication shall not imply the concurrence of the editors or publisher.

Principal Message



Dr. V. KATHIRESAN
Principal
A.V.P. College of Arts and Science

Dear Participants,

Greetings! With immense pleasure I welcome each one of you to the International Conference on Recent Trends In Multi-Disciplinary Research and Innovation - ICRTMRI 2024, organized by A.V.P. College of Arts and Science in association with Britts Imperial University College, United Arab Emirates. As the principal of the college, I am extremely glad to bring the college first International Conference to the limelight.

A multidisciplinary approach in education is essential because it allows the researchers and students to understand the subjects comprehensively by incorporating knowledge and perspectives from various disciplines. Thus this conference provides a platform for the academicians, industrialist, research scholars and students to collaborate and exchange ideas from diverse fields.

I wholeheartedly appreciate the hard work and dedication of the Convenor, Coordinators and organizing committee members for making this event a grand success.

Wishing the team, all the best.

34.	ICRTMRI/24/ T2/34	A STUDY ON BIG DATA ANALYTICS	Ms. M. Jayanthi	277
35.	ICRTMRI/24/ T2/35	EFFECTIVE DATA CLUSTERING USING HDNL DATA	Dr. R. Nandhakumar	281
36.	ICRTMRI/24/ T2/36	ROUTING PROTOCOLS FOR ENERGY EFFICIENCY IN 5G SENSOR NETWORKS: A COMPARATIVE EVALUATION OF DIRECTED DIFFUSION AND MPEG	Mrs. M. Sweety Kiruba Dr. K. P. Rajesh	286
37.	ICRTMRI/24/ T2/37	A SURVEY ON CLASSIFICATION OF STUDENTS PERFORMANCE PREDICTION USING MACHINE LEARNING ALGORITHMS	Mr. D. Boominath Dr. S. Dhinakaran	293
38.	ICRTMRI/24/ T2/38	ENERGY EFFICIENT STABLE ROUTE IN MANET USING NODE DISCOVERY ALGORITHM	Dr. S. Dhinakaran Dr. D. Raj Balaji	302
39.	ICRTMRI/24/ T2/39	A NOVEL CUCKOO ALGORITHM BASED LS-SVM FOR CLASSIFICATION OF ALZHEIMER DISEASE FROM BRAIN MRI IMAGES	Dr. D. Raj Balaji Dr. S. Dhinakaran	310
40.	ICRTMRI/24/ T2/40	IMPLEMENTING THE NEWTON-RAPHSON METHOD FOR ROOT FINDING IN PYTHON	Dr. A. Mughil Ms. B. Gomathi	321
41.	ICRTMRI/24/ T2/41	STRUCTURAL PROPERTIES AND ARITHMETIC OPERATIONS OF OCTADECAGONAL FUZZY NUMBERS WITH ILLUSTRATIVE EXAMPLES	Dr. J. Jayanthi, Ms. U. Syamaladevi Ms. S. Nandhini	325
42.	ICRTMRI/24/ T2/42	SOME DISTANCE-BASED TOPOLOGICAL INDICES OF STAR DOUBLE FANBELL GRAPH	Dr. S. Sivasankar Ms. K. Babysuganya	334
43.	ICRTMRI/24/ T2/43	HARMONIC INDEX AND ECCENTRIC HARMONIC INDEX OF STAR FANBELL GRAPH AND WHEEL FANBELL GRAPH	Dr. S. Sivasankar Ms. H. Haritha	339
44.	ICRTMRI/24/ T2/44	OPTIMIZING PROFIT MARGINS IN THE CHOCOLATE INDUSTRY: A STRATEGIC APPROACH	Mrs. R. Parimaladevi Ms. K. R. Monikka Ms. M. S. Sakthi Shri	345
45.	ICRTMRI/24/ T2/45	GRAPH COLORING AND ITS ROLE IN SCHEDULING PROBLEMS	Ms. R. Meena Sri Ms. M. Sangeetha Ms. Vishnupriya N D	351
46.	ICRTMRI/24/ T2/46	CORDIAL LABELING AND EDGE-CORDIAL ANALYSIS OF THE SIXTEEN SPROCKET GRAPH	Ms. R. Suganya Ms. P. Sakthi Ms. R. Nanthitha	354
47.	ICRTMRI/24/ T2/47	TYPES OF DOMINATION IN GRAPH THEORY	Ms. V. S. Selvi Ms. R. Meena, Ms. V. K. S. Dhanavandhini	359

EFFECTIVE DATA CLUSTERING USING HDNL DATA

Dr. R. Nandhakumar

Assistant Professor & Head, Department of Computer Science, Nallamuthu Gounder
Mahalingam College, Pollachi

Abstract

Clustering is a data mining task devoted to the automatic grouping of data based on mutual similarity. Clustering in high-dimensional areas is actually a recurrent issue in lots of domain names. It impacts period difficulty, space intricacy, scalability and precision of clustering strategies. High-dimensional nonlinear data usually live in various low dimensional subspaces concealed in the initial space. As high-dimensional objects show up almost as well, new methods for clustering are needed. This study has centred on producing Mathematical versions, methods and clustering methods particularly intended for high-dimensional info. The harmless development inside the areas of conversation and technology, presently there is usually huge development in high dimensional data areas. As the variant of sizes upon high dimensional nonlinear info rises, various clustering methods start to have problems with the curse of dimensionality, de-grading the standard of the outcomes. In high dimensional nonlinear info, the info turns into extremely rare and range steps turn into progressively worthless. The principal problem for clustering high dimensional data is usually to conquer the “curse of dimensionality”. This study specializes in creating an improved algorithm to get clustering large dimensional nonlinear data.

Keywords: Clustering, High Dimensional Non Linear Data, curse of dimensionality, Mathematical models.

1. INTRODUCTION

Clustering is among the primary data research careers and it is targeted at group the data products into significant classes (clusters) in a manner that the similarity of items inside clusters is actually maximized as well as the similarity of items by many groupings is normally reduced. Ton analysis is normally amongst the primary accessories designed for discovering the fundamental wording of the information collection. Clustering will abide by essential applications in a wide assortment of professions introducing useful remote device recognizing, sensible acceptance, and picture application and computer system eyesight. The very best objective of any clustering technique is normally to break verified details place composed of N-dimensional components or perhaps vectors directly into a mounted degree of Addition groupings. Typically, clustering will likely be considered to become a way that dividing the info tactics into mutually distinctive things or types in a fashion that points elements inside the same masse are much more similar someone to the apart from to info components in extra groupings. The unsimilarity between couples of details is generally size with an assortment metric described in the dissimilarities in the middle of your ideals with the features (sizes).

Classic clustering methods use all of the parts found in the facts to compute the traces. The bane of dimensionality to obtain neo geradlinig information the actual clustering function very difficult in the event that the info space includes a variety of features. The countless attributes assists that finish up becoming computationally infeasible to make use of all the attributes to really have the clusters. Besides, not absolutely all the characteristics are actually of heap needed

for the clustering function. The fewer relevant features result in the standard concentration to a ton in virtually any kind of culture of the facts space to end up being low which makes it difficult to acquire virtually any important groupings making utilization of the original clustering algorithms found in full-dimensional space. This study functions concentrates mainly upon devising a great improved duodecimal plan with clustering improved dimensional non-linear info.

2. LITERATURE SURVEY

Clustering high dimensional data is certainly a problem intended for clustering tactics. This matter presents been trained in completely and there are many alternatives, every right severalty of high dimensional data and data quest strategies. There are many potential applications like bio informatics, text rare metal mining with huge dimensional details where subspace clustering, forecasted clustering strategies could help to find habits skipped simply by current clustering technique. In order to gain conceptual clearness of your domain name be neath analysis different content, catalogs, websites and several of different personal testimonials have been checked out. The critique provides been completed by simply directing in the primary component subject of clustering significant dimensional facts. Maithri, shown a quick an evaluation of the existing strategies that have been mainly paying attention in clustering on increased dimensional info. The principal aim of the analysis newspaper is going to be showing the power of extreme dimensional info analysis and different routine in the conjecture process of Info exploration. The entire performance problems of the information clustering in great dimensional data, it is also essential to examine complications just like dimensionality lower, redundancy fading, subspace clustering, co-clustering and details Labels designed for groupings are to tested and elevated. Sunita Jahirabdkar, provided an evaluation of varied thickness centered subspace clustering regulations in addition to a reasonable graph focusing on their unique differentiating features such as overlapping as well as non overlapping, axis very much the same / arbitrarily oriented etc. Charles Bouveyron, presents a clustering technique which reports the complete subspace and the integrated dimension of each class. Their own technique gets utilized for the Gaussian mixture device perspective to high-dimensional data and estimations the rules which best fit the knowledge. We get hold of a robust clustering technique referred to as Huge Dimensional Data Clustering. They utilized Great Dimensional Data Clustering to discover items in organic images within a probabilistic system. Trials on are cently proposed databases demonstrate the power of our clustering method for category localization.

U. Kailing, released a SUBCLU (density- connected Subspace Clustering), a reliable approach to the subspace clustering concern. Applying the thought of thickness interconnection fundamental the formulation DBSCAN, SUBCLU is usually founded on the official clustering thought. Instead of existing grid-based methods, SUBCLU can detect arbitrarily produced and positioned types in subspaces.

3. EXECUTION PHASES

Stage 1: Making use of Denclue, Optic systems and Fanfare Formula upon High-dimensional Non-Geradlinig Dataset.

Stage 2: Based on stage you impact, two strategies (DENCLUE and OPTICS) have been selected like a very best formula. To solve some cons of both algorithms many mathematical tactics such as destinazione heuristics, problem of dimensionality, data manipulating, correlation, standard distribution and Darboux variate have been added with these types of

algorithms. Finally, these altered algorithms have been applied regarding Large dimensional non-linear information set and result

4. PROPOSED FRAME WORK

Clustering high dimensional data is certainly challenging due to its dimensionality issue which impacts period complexity, space complexity, scalability and accuracy of clustering methods. Several clustering tactics are available such as hierarchical founded technique, quarter centered approach, density depending technique, primary grid structured technique and unit centered technique. Amongst these kinds of both equally Denclue line of action and Optical technologies routine will becomes under the occurrence focused clustering strategy, where as Parade algorithm comes under the Primary grid organized clustering approach. In denseness centered clustering, the things will probably be classified based on their elements of density. These kinds of algorithms manage to discover classes of human being judgments styles and leave out boisterous products. Upon additional submit main grid based on clustering, the information are put into grid of items. This type utilized the algorithm on the primary main grid, instead of utilized it about the info origin.

DENCLUE (DENSity-based CLUstEring) is generally a clustering approach based on several thicknesses passing all of them out features. The approach is established in another suggestions: (1) the effect of each info stage could possibly be legally patterned employing a statistical function, called an effect function, which will may be the impact of an information stage in a matter of its region; (2) the whole density within the details space could be produced analytically because the money for the influence function placed on just about all info elements; and (3) groupings will then become recognized mathematically by simply identifying occurrence attractors, where occurrence attractors happen to be regional normal of the whole solidity function. Never the less the disadvantages of the line of action a reactually; it truly is fewer sensitive to outliers. It doesn't work nicely simply for large dimensional info, because of the skinnelgeme of dimensionality phenomenon. The density adjustable and the audio limit need to be picked out properly because it drastically influences the typical of benefits.




Figure1: M-DENCLUE/M-OPTICS Algorithm

OPTICAL TECHNOLOGIES technique features in guideline such as this prolonged DBSCAN algorithm simply for a large number of amount of time details ϵ we which have been smaller sized in comparison with a “generating distance” ϵ (we actually. vitamin supplement e. $0 \leq \epsilon_i \leq \epsilon$). The only real big difference is generally that people you don't have to assign group

memberships. Alternatively, we shop the buy where the products are white and the details which can be employed by a prolonged DBSCAN schedule to select cluster golf clubs. Nevertheless the drawbacks of the duodecimal program will be that desires some form of occurrence won't discover cluster restrictions, plus its lesser sensitive to erroneous information. Physique a definite displays the M-DENCLUE/M-OPTICS Schedule on Great Dimensional Details Set EXCITEMENT is the preliminary subspace clustering algorithm. The CLIQUE formula discovers the crowded region from the multidimensional databases and discovers the patterns. Any moment the machine will probably be dense then it remains to make a great panel. The outlier reputation of grouping is and become done? full about the noisy details also a substantial part of excellent dimensional details pieces. To do this, clusters are actually analyzed relating to negative and positive products in CLIQUE by intra-cluster similarity of clusters based on the occurrence of positive and negative products through Rand Index. The out of date products are in reality eliminated from the spot simply by matrix factorization and division technique. Several disadvantages of the mechanism are actually as; Have to tune main grid size and density limit. May are unsuccessful if groupings are of broadly vary type of densities, because the threshold is simply set. Can easily still possess big mining price. Same solidity threshold with respect to low and high dimensionality. DENCLU and OPTICS happen to be density centered clustering approach, where as HARMONIE comes beneath the grid-structured clustering strategy. Review to DENCLU and OPTICS codes CLIQUE protocol provides much less performance about result.

As a result in this analysis function DENCLU and OPTICAL TECHNOLOGIES algorithms had been selected and modified with the addition of the math concepts strategies such as for example meta-heuristics, bane of dimensionality in adequate sub areas, datacourse-plotting, correlation, regular distribution and darboux variate. It has pre-processing procedure on info established just before implement with this altered criteria. Multiple general sizes will end up being hard to trust in, challenging to visualize, and, due to the rapid development of the quantity of feasible attitudes with every age, total enumeration of all subspaces becomes intractable with increasing dimensionality.

5. EXPERIMENTAL RESULTS AND ANALYSIS

The Clustering Methods DENCLUE, OPTICAL TECHNOLOGIES and FANFARE were attempted the Biography informatics—DNA microarray Data set with the implementation of MATLAB R2018b (Version on the lookout for. 5) -- Sep 2018, and the results yielded the CLIQUE routine didn't work to get Clustering of High Dimensional nonlinear info. Then your DENCLUE and OPTICAL TECHNOLOGIES algorithms had been experimented and analysed as well as the restrictions of the algorithms had been documented and swamped when using the mathematical versions-traguardo heuristics, problem of dimensionality, data redirecting, correlation, regular distribution and Darboux variate. This technique has improved the DENCLUE and OPTICAL TECHNOLOGIES algorithms in to M-DENCLUE and M-OPTICS methods. These improved algorithms had been examined for the purpose of erroneous info, recognition of outlier, boisterous data, exploration overall performance, computational complexity, observance rate, info quality, scalability and precision. The Research Studies applied in MATLAB exposed that M-DENCLUE algorithm fits best for clustering Large Dimensional non-linear Info attempted Biography informatics – DNA microarray Dataset.

CONCLUSION

Clustering High dimensional nonlinear info sets is usually a difficult laborious job. The principal problem for clustering high dimensional data is definitely to conquer the “curse of dimensionality”. This study function analyzed and examined numerous clustering approaches for large dimensional nonlinear data clustering, and evaluate the restrictions of Clustering in Large Dimensional non-linear data, a highly effective answer was provided to improve the overall performance of clustering on substantial dimensional nonlinear data clustering by conquering the Curse of Dimensionality“, by examining DENCLUE, OPTICAL TECHNOLOGIES and FANFARE algorithms intended for clustering excessive dimensional info. The limitations of the algorithms had been overcome with incorporating the mathematical ideas of meta-heuristics, curse of dimensionality, bass speaker areas, info routing, relationship, regular circulation and darboux variate, which includes proposed fresh improved methods M-DENCLUE and M-OPTICS. The Bioinformatics-GENETICS microarray Dataset which can be Great Dimensional Non-Gradling in character was utilized for testing the improved algorithms and a greatest fit to get clustering Large Dimensional nonlinear data is usually obtained.

References

- [1] A. Hinneburg and D. A. Keim, “*Optimal grid clustering: Towards breaking the curse of dimensionality in high dimensional clustering*,” In Proceedings of 25th International Conference on Very Large Data Bases (VLDB-1999),pp.506-517.
- [2] Charles Bouveyron, Stephane Girard, et al., “*High Dimensional Data Clustering*”, Computational Statistics and Data Analysis 52,1(2007)502-519.
- [3] E. Müller, S. Günemann, I. Assent and T. Seidl (2009), “*Evaluating clustering in subspace projections of high dimensional data*”, In Proc. of the Very Large Data Bases Endowment, Volume 2 issue 1, pp.1270-1281.
- [4] P. Lance, E. Haque, and H. Liu (2004), “*Subspace clustering for high dimensional data: A review*”, ACM SIGKDD Explorations Newsletter, Vol.6 Issue 1, pp90–105.