

**Proceedings of the
National Conference on**

Latest Innovations in Science & Technology

LIST-2K25

22nd August, 2025



**Jointly Organized By
Department of Data Science &
PG and Research Department of Computer Science**



**Providence College for Women (Autonomous)
Coonoor, The Nilgiris, Tamilnadu, India.**

National Conference on Latest Innovations in Science & Technology (LIST - 2K25)

22nd August 2025



Jointly Organised By

**Department of Data Science &
PG and Research Department of Computer Science,
Providence College for Women (Autonomous),
Coonoor, The Nilgiris, Tamil Nadu.**

Published by

CiiT Publications

#156, 3rd Floor, Kalidas Road, Ramnagar,
Coimbatore – 641009, Tamil Nadu, India.
Phone: 0422 – 4377821, Mobile: 9965618001
www.ciitresearch.org

All Rights Reserved.

Original English Language Edition 2025 © Copyright by **CiiT Publications**, a unit of Coimbatore Institute of Information Technology.

This book may not be duplicated in anyway without the express written consent of the publisher, except in the form of brief excerpts or quotations for the purpose of review. The information contained herein is for the personal use of the reader and may not be incorporated in any commercial programs, other books, database, or any kind of software without written consent of the publisher. Making copies of this book or any portion thereof for any purpose other than your own is a violation of copyright laws.

This edition has been published by **CiiT Publications**, a unit of Coimbatore Institute of Information Technology, Coimbatore.

Limits of Liability/Disclaimer of Warranty: The author and publisher have used their effort in preparing this book titled “Proceedings of National Conference on Latest Innovations in Science & Technology (LIST - 2K25)” and author makes no representation or warranties with respect to accuracy or completeness of the contents of this book, and specifically disclaims any implied warranties of merchantability or fitness for any particular purpose. There are no warranties which extend beyond the descriptions contained in this paragraph. No warranty may be created or extended by sales representatives or written sales materials. Neither CiiT nor author shall be liable for any loss of profit or any other commercial damage, including but limited to special, incidental, consequential, or other damages.

Trademarks: All brand names and product names used in this book are trademarks, registered trademarks, or trade names of their respective holders.

ISBN 978-93-6126-983-7

This book is printed in 80 gsm papers.

Printed in India by of Coimbatore Institute of Information Technology, Coimbatore.

CiiT Publications,

#156, 3rd Floor, Kalidas Road, Ramnagar,

Coimbatore – 641009, Tamil Nadu, India.

Phone: 0422 – 4377821, Mobile: 9965618001

www.ciiresearch.org

24	SAHAYAK: AN AGENTIC CLASSROOM COMPANION – AI ENABLED MULTIGRADE & MULTILINGUAL SUPPORT FOR LOW-RESOURCE RURAL SCHOOLS Pravin. B	117
25	ARTIFICIAL INTELLIGENCE IN EDUCATION: PERSONALIZED LEARNING SYSTEMS Keerthana Sundar Raj	123
26	DEEP LEARNING-BASED PREDICTIVE MODEL FOR HEART DISEASE DETECTION USING CLINICAL AND DIAGNOSTIC DATA N. Vellingiri, Dr. S. Ranjitha Kumari	125
27	EFFICIENT IOT MODELS FOR 5G APPLICATIONS: OVERCOMING ACCURACY AND SECURITY LIMITATIONS WITH COMPRESSION AND ENCRYPTION Priya	130
28	BRAIN TUMOR DETECTION USING CNN Dr. K. Gandhimathi, S. Rithika	135
29	PREDICTING TIME-TO -NEXT-CALL USING SUPERVISED MACHINE LEARNING TECHNIQUES Dr. K. Gandhimathi, Nandhini Nalla	145
30	INTELLIGENT RISK PREDICTION FOR DRIVERS Dr. K. Gandhimathi, Kanishka. M	149
31	VIRTUAL REALITY AND AUGMENTED REALITY N. Souparnika, G. Praveena	156
32	AUGUMENTED REALITY AND VIRTUAL REALITY Isvaryaa. S, A. Kanishma	159
33	EARLY DETECTION OF LUNG CANCER USING AI-BASED SEGMENTATION Dr. R. Malathi Ravindran, S. Thilagavathi	166
34	PROGNOSTIC WEB PREFETCHING Dr. R. Saravanamoorthy, Dr. S. Angel	169
35	TECHNIQUES FOR COMPRESSING DATA IN WIRELESS BODY SENSOR NETWORKS THAT UTILIZE IOT TECHNOLOGY Monisha. S, Shubaharini. N	175
36	TRENDING TECHNOLOGIES IN DATA SCIENCE Midhun. M, Thiruselvam. R	179
37	REAL-TIME IOT MONITORING IN COCONUT FARMS USING BLYNK WITH WEATHER INSIGHTS S. Saranya	183

CHAPTER – 37

REAL-TIME IOT MONITORING IN COCONUT FARMS USING BLYNK WITH WEATHER INSIGHTS

Ms. S. Saranya

Assistant Professor,

Department of Computer Science with AI and ML,

NGM College, Pollachi,

Tamilnadu, India.

saranyashana21@gmail.com,

Abstract---Coconut farming requires continuous monitoring of environmental parameters to ensure high yield and sustainable management. Traditional farming practices often rely on manual observation, which is time-consuming and less accurate. This paper presents a real-time IoT-based monitoring system for coconut farms, integrated with the Blynk application and weather insights. The proposed system uses sensors to collect key parameters such as soil moisture, temperature, humidity, and light intensity. A NodeMCU microcontroller processes the data and transmits it via Wi-Fi to the Blynk platform, enabling farmers to remotely monitor and control irrigation systems through their smartphones. Additionally, weather monitoring and forecasting are incorporated to provide predictive insights, allowing better irrigation scheduling and crop management. This smart system not only minimizes water usage but also reduces labor costs and supports climate-resilient farming practices. The integration of IoT with Blynk and weather analytics thus enhances productivity, promotes sustainable resource utilization, and improves decision-making for coconut farmers.

Keywords---IoT, Coconut Farming, Blynk Application, Weather Monitoring, Smart Agriculture, Real-Time Monitoring.

1. INTRODUCTION

Agriculture is the backbone of many developing economies, and technological advancements have significantly transformed traditional farming practices. Among various crops, coconut is a vital plantation crop that contributes substantially to the

economy, particularly in tropical regions such as India, Indonesia, and the Philippines. However, coconut farming is highly dependent on environmental factors such as soil moisture, temperature, humidity, and rainfall. Any imbalance in these conditions can adversely affect yield and resource utilization.

Traditional monitoring methods in coconut farming often involve manual observation and experience-based decision-making, which are not only labor-intensive but also prone to inaccuracies. Moreover, climate change has made weather conditions more unpredictable, making it difficult for farmers to plan irrigation and crop management effectively. This creates a strong need for intelligent, automated systems that can monitor real-time environmental data and provide predictive insights for sustainable farming.

The Internet of Things (IoT) offers an effective solution by integrating sensors, wireless communication, and mobile applications to monitor and control agricultural operations remotely.

The Blynk application, a widely used IoT platform, provides real-time data visualization and control capabilities through smartphones. When combined with weather monitoring and forecasting systems, it enables farmers to make informed decisions on irrigation scheduling, resource allocation, and crop protection.

This paper proposes a real-time IoT-based monitoring system for coconut farms using Blynk and weather insights. The system not only improves productivity but also reduces water consumption,

minimizes labor costs, and supports climate-resilient farming practices.

2. LITERATURE REVIEW

Several research studies have explored the application of IoT, wireless sensor networks, and mobile applications in agriculture to enhance productivity and sustainability.

Singh and Singh (2018) highlighted the adverse effects of saline water on coconut yield and emphasized the need for continuous monitoring of soil and water quality. Their study demonstrated that IoT-based sensors could effectively track irrigation water quality, improving farm productivity.

Kumar et al. (2019) developed an IoT-based smart irrigation system using soil moisture and temperature sensors. The system demonstrated efficient water management by automating irrigation based on real-time soil conditions, thereby reducing wastage of resources.

Patel and Sharma (2020) presented a weather-integrated smart agriculture framework that utilized IoT sensors and cloud platforms to provide farmers with predictive insights on irrigation scheduling. Their system reduced dependency on manual weather predictions and supported climate-resilient practices.

Ramesh et al. (2021) implemented a smart farm monitoring system using the Blynk application for real-time visualization of soil and environmental parameters. Their work proved the effectiveness of Blynk in providing a simple and user-friendly interface for farmers.

Ali and Khan (2022) proposed a low-cost IoT-enabled system for precision farming, integrating humidity, temperature, and rainfall sensors with weather forecasting APIs. Their system showed significant improvement in yield prediction and irrigation efficiency. Most recently, Meena and George (2023) designed an IoT-based coconut farm monitoring system that integrated soil and weather sensors with mobile applications. Their study concluded that combining real-time sensor data with weather insights can optimize irrigation cycles and

improve crop resilience under varying climate conditions.

From the above studies, it is evident that IoT and mobile platforms such as Blynk can play a vital role in advancing precision agriculture. However, limited work has focused specifically on coconut farming with integrated weather insights. This research attempts to bridge that gap by proposing a real-time IoT monitoring system tailored for coconut farms, combining environmental data and weather forecasts for sustainable and efficient farm management.

3. METHODOLOGY

A. System Design and Architecture

The proposed IoT-based monitoring system for coconut farms integrates environmental sensing, data processing, and remote control through the Blynk application. The system architecture comprises the following components: **Sensor Unit:** Deployed in the coconut farm, the sensor unit includes: **Soil Moisture Sensor** is used to measures the volumetric water content in soil. **DHT11 Sensor** monitors ambient temperature and humidity. **LDR (Light Dependent Resistor)** is used to detect light intensity, providing insights into sunlight exposure. **Microcontroller:** The NodeMCU ESP8266 microcontroller serves as the central processing unit, interfacing with the sensors to collect data and transmit it wirelessly. **Communication Module:** Utilizes the Wi-Fi capabilities of the NodeMCU to send data to the cloud platform via the Blynk application. **Cloud Platform:** The Blynk application serves as the user interface, displaying real-time data and allowing remote control of irrigation systems. **Weather Forecast Integration:** Incorporates weather forecasting APIs to provide predictive insights, aiding in irrigation scheduling and crop management.

B. Data Flow and Processing

The data flow within the system is as follows: **Data Acquisition:** Sensors continuously monitor environmental parameters and send data to the NodeMCU. **Data Processing:** The NodeMCU processes the sensor data and determines the need for

irrigation based on predefined thresholds for soil moisture.




Figure1. Flow Diagram of the Proposed System

Data Transmission: Processed data is transmitted to the Blynk cloud platform via Wi-Fi. **User Interaction:** Farmers access the Blynk application to view real-time data, receive notifications, and manually control irrigation systems if necessary. **Weather Insights:** Weather forecast data is retrieved from external APIs and displayed within the Blynk application, providing farmers with predictive insights.

C. Automated Irrigation Control

The system automates irrigation based on soil moisture levels: **Automatic Mode:** When soil moisture falls below a certain threshold, the system automatically activates the irrigation pump. Once the desired moisture level is reached, the pump is turned off. **Manual Mode:** Farmers can override the automatic system through the Blynk application to manually control the irrigation pump.

D. System Integration and Testing

The system is integrated and tested in a coconut farm environment. The integration process involved: **Hardware Setup:** Assembling the sensor units and connecting them to the NodeMCU microcontroller.



Figure2. Block Diagram of the Proposed System

Software Configuration: Programming the NodeMCU to interface with the sensors and communicate with the Blynk application. **Connectivity Testing:** Ensuring stable Wi-Fi connectivity for data transmission. **Field Testing:** Deploying the system in the farm to monitor its performance under real-world conditions.

E. Advantages of the Proposed System

The proposed system offers several benefits: **Real-Time Monitoring:** Provides continuous monitoring of soil and environmental parameters. **Remote Control:** Allows farmers to control irrigation systems remotely via the Blynk application. **Water Conservation:** Optimizes water usage by automating irrigation based on soil moisture levels. **Cost Reduction:** Reduces labor costs associated with manual irrigation practices. **Sustainable Farming:** Supports climate-resilient farming practices by integrating weather insights.

4. RESULTS AND DISCUSSION

The implementation of the IoT-based monitoring system for coconut farms, integrated with the Blynk application and weather insights, yielded several significant outcomes: **Enhanced Real-Time Monitoring** this system provided continuous monitoring of critical environmental parameters such as soil moisture, temperature, humidity, and light intensity. Data collected from sensors were processed by the NodeMCU microcontroller and transmitted to the Blynk platform via Wi-Fi. Farmers could access this data remotely through the Blynk application, enabling them to make informed decisions regarding irrigation and crop management.

Automated Irrigation Control integration of soil moisture sensors allowed the system to automate irrigation processes. When soil moisture levels fell below a predefined threshold, the system automatically activated the irrigation pump. Upon reaching the desired moisture level, the pump is turned off, ensuring efficient water usage and reducing manual labor.

Weather Forecast Integration by incorporating weather forecasting APIs, the system provided predictive insights into upcoming weather conditions. This feature enabled farmers to adjust irrigation schedules proactively, optimizing water usage and enhancing crop resilience against adverse weather events.

User Engagement and Control the Blynk application served as an intuitive interface for farmers, allowing them to monitor real-time data, receive notifications, and manually control irrigation systems if necessary. This user-friendly platform facilitated greater engagement and empowered farmers to take timely actions based on the data provided.

Operational Efficiency and Cost Reduction automation of irrigation and remote monitoring capabilities led to a reduction in labor costs and resource wastage. By ensuring that irrigation occurred only when needed, the system contributed to water conservation efforts and promoted sustainable farming practices.



Figure3. Blynk Application

Scalability and Adaptability of the modular design of the system allowed for easy scalability and adaptation to different farm sizes and conditions. Additional sensors and functionalities could be integrated into the existing framework, making it a versatile solution for various agricultural applications.

5. CONCLUSION

The deployment of the IoT-based monitoring system in coconut farms demonstrated substantial improvements in resource management, operational efficiency, and decision-making processes. By

leveraging real-time data and predictive weather insights, the system not only optimized irrigation practices but also supported sustainable and climate-resilient farming. The integration of the Blynk application provided a seamless interface for farmers, enhancing user experience and engagement. Overall, the system showcased the potential of IoT technologies in transforming traditional farming practices and promoting smart agriculture.

Future enhancements could include the integration of additional sensors for monitoring soil pH and nutrient levels, the incorporation of machine learning algorithms for predictive analytics, and the development of a web-based dashboard for broader accessibility. Such advancements would further augment the system's capabilities and contribute to the advancement of precision agriculture.

ACKNOWLEDGEMENT

The author sincerely acknowledges and expresses gratitude to the Management of NGM College, Pollachi, Tamilnadu, for their generous financial assistance through the SEED Money support for this research work.

REFERENCES

- [1] N. Javaid et al., "A survey of green IoT for smart agriculture," *Sustainable Computing: Informatics and Systems*, vol. 20, pp. 54–70, 2018.
- [2] M. Ayaz, M. Ammad-Uddin, Z. Sharif, A. Mansour, and E. Aggoune, "IoT based smart agriculture: Towards making the fields talk," *IEEE Access*, vol. 7, pp. 129551–129583, 2019.
- [3] K. Jha, A. Doshi, P. Patel, and M. Shah, "A comprehensive review on automation in agriculture using artificial intelligence," *AI in Agriculture*, vol. 2, pp. 1–12, 2019.
- [4] S. Rawal and P. Sharma, "IoT-based weather monitoring system using cloud computing and machine learning," *Int. J. Comput. Appl.*, vol. 177, no. 41, pp. 1–7, 2020.
- [5] P. P. Ray, "IoT-based smart agriculture for weather and soil monitoring," *J. Ambient Intelligence*

- and *Humanized Computing*, vol. 11, pp. 1185–1197, 2020.
- [6] S. Singh and P. Kaur, “IoT-based smart agriculture monitoring and irrigation system using NodeMCU and Blynk,” *JETIR*, vol. 8, no. 6, pp. 352–358, 2021.
- [7] Y. Raut, A. Patil, and S. More, “Smart weather forecasting system using IoT and machine learning,” *International Journal of Engineering Research & Technology*, vol. 10, no. 8, pp. 1000–1005, 2021.
- [8] M. S. Hossain et al., “A smart weather monitoring and precision agriculture system using IoT,” *Sustainable Computing*, vol. 35, pp. 100728, 2022.
- [9] A. K. Sharma, R. Gupta, and R. Jain, “IoT based climate monitoring and prediction for smart farming,” *International Journal of Advanced Computer Science and Applications*, vol. 13, no. 1, pp. 35–42, 2022.
- [10] S. K. Singh, A. Mishra, and P. Singh, “Blynk based IoT architecture for smart irrigation system,” *Int. J. Innovative Tech. & Exploring Engineering*, vol. 12, no. 4, pp. 44–51, 2023.
- [11] A. Ali, M. Khan, and T. Rauf, “IoT weather monitoring system for smart agriculture,” *Procedia Computer Science*, vol. 217, pp. 421–429, 2023.
- [12] J. Patel and R. Mehta, “Deep learning-based forecasting for IoT enabled agriculture systems,” *IEEE Internet of Things Journal*, vol. 11, no. 3, pp. 2254–2265, 2024.
- [13] R. K. Singh and P. Verma, “IoT cloud integration with Blynk for smart coconut farming,” *Journal of Agricultural Informatics*, vol. 15, no. 2, pp. 77–85, 2024.
- [14] K. Ramesh and S. Anitha, “An IoT-Blynk weather prediction model for sustainable coconut farming,” *Agricultural IoT Research*, vol. 5, no. 1, pp. 11–22, 2025.
- [15] P. Srinivasan and M. Devi, “AI and IoT based weather adaptive irrigation in tropical farming,” *Smart Agriculture Systems*, vol. 6, no. 2, pp. 66–75, 2025.